



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Kenneth H. Ball)	
Serial No.: 09/921,864)	Art Unit: 3761
Filed: August 2, 2001)	Examiner: D. Erez
HIGH SENSITIVITY PRESSURE)	
SWITCH)	

LETTER

Mail Stop ISSUE FEE
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Responsive to the Notice of Allowance and Fee(s) Due ("Notice") dated August 4, 2004, please find enclosed the following items:

1. Completed Part B of the Notice;
2. Check in the amount of \$965 as payment for the issue and publication fees; and
3. Corrected drawings as replacement sheets.

It should be noted that the reference numeral 71 pointing to the positive node of amplifier 60 has been deleted from the second replacement sheet since it was identical to the numeral identifying the 20M resistor. The undersigned is uncertain whether a annotated sheet showing the change is required under these circumstances.

In view of the above submissions, it is anticipated that a patent will issue in due course.

Respectfully submitted,

A handwritten signature in black ink, appearing to read 'Irving Keshner', written over the typed name.

Irving Keshner
Attorney for Assignee
Reg. No. 24,547
Tel. (310) 543-5200
August 24, 2004

Patents/Ball.It2